



GIK INSTITUTE OF ENGINEERING SCIENCES AND TECHNOLOGY

REQUEST FOR QUOTATION (GIKI/PD/RFQ-216/2026-2027)

Sealed quotations, in Pak rupees on D.D.P basis, are invited from registered suppliers/authorized dealers/distributors for supply of the following items:

S#	Item Description	Annexures
1.	Lab Supplies	Detail attached at Annexure- A, B, C & D
2.	R&M Work	Detail attached at Annexure- E & F

Interested parties are requested to keep following points into consideration before submitting their quotations.

- Your quotations must be delivered to the office of the undersigned on or before **07 October 2026, Wednesday at 3:00 PM**. Any quotation received later than the scheduled date and time will be rejected and returned unopened.
- All quotations must be valid for a period of Thirty (30) days from the closing date of the Request for Quotation.
- The quotation shall be completed and signed by an authorized representative of the supplier.
- The quoted price should include all applicable Govt taxes.
- Delivery will be made to GIK Institute, Topi, Swabi. **The delivery Timeline must be clearly indicated in the Quotation.**
- Payment will be made within 2-3 weeks after acceptance of the items subject to deduction of taxes as per law.
- In the case of any arithmetical discrepancy between the unit rate and the total amount quoted, then the unit rate shall prevail both for the evaluation of quotations and for the subsequent purchase order.
- Separate quotations must be prepared for each annexure. If multiple annexures or items are quoted on a single page, such a quotation shall be **cancelled**.
- The vendor is strictly prohibited from changing the BOQ. Any substitution, if unavoidable due to non-availability, shall be limited to an equivalent item fully compliant with the demanded specifications and shall require prior written approval of the Procuring Agency. No deviation shall be accepted without such approval.
- Copy-paste of the Procuring Agency's specifications in the vendor's quotation is strictly not allowed. The vendor must clearly mention the brand and model being offered. Quotations containing copy-pasted specifications without clear identification of the brand/model offered may lead to disqualification
- **Mention Account details in Quotation.**
- **Mention RFQ number & Opening date on the envelope.**
- **The supplier must mention their NTN number on the quotation.**
- **For any query contact saif@giki.edu.pk Ph: 0938-281026 Ext. 2340.**

Assistant Director Procurement, GIK Institute, Topi, Swabi (KP)

Ph: 0938-281026 Ext. 2444 Email: Osama.zahid@giki.edu.pk



ANNEXURE-A

S #.	Name of Item	Qty	Unit
1	Single mode fiber patch cords (5m) high quality (with SC/APC connectors) 3mm jacket and with Kelvar	100	Nos.
2	COMPTYCO stainless steel VCFS-30 Three-port fiber optical stripper pliers) high quality	3	Nos.
3	Optical fiber cleaver tool AUA-6C	2	Nos.
4	Slamtec RPLIDAR A1M8	2	Nos.
5	Arduino Mega 2560 R3 with USB cable (original)	3	Nos.
6	Hikvision / Hiksemi E100 SSD-128GB for PCs (1 year warranty)	2	Nos.
7	Fiber splicing protection sleeve (pack of 100)	1	Nos.
8	Water silk tissue Roll 10s pack	10	Nos.
9	Acetone 99% (for cleaning of optical fiber) 2.5L	2	Nos.
10	Metal cap push down 200ml Bottle (liquid Dispenser)	5	Nos.
11	5-inch super cut scissor / sharp cutting stainless steel	5	Nos.
12	1550nm FC/PC fiber mounted aspherical collimator	2	Nos.
13	OTDR adapter connector SC APC (for replacement)	5	Nos.
14	Infrared 1550nm laser IR sensitive detection card	1	Nos.
15	FC-APC/FC-APC optical fiber patch 1m (high quality)	4	Nos.

ANNEXURE-B

S #.	Name of Item	Qty	Unit
1	Distill water plant production Rate: 5L/hour or more	01	Nos.
2	Specific Gravity Hydrometers Gravity Range: 0.6-0.98 or API hydrometer for hydrocarbons covering range 10-60 degree	03	Nos.

ANNEXURE-C

S #.	Name of Item	Qty	Unit
1	<u>Ti-6Al-4V Sheet:</u> 1) chemical composition (wt%) a) Titanium: Balance (~90%) b) Aluminum: 5.5-6.75% c) Vanadium: 3.5-4.5% 2) Biomedical Research grade material 3) Thickness: 0.5mm 4) Size: 100mm x 100mm 5) Tensile Strength: ~950-1050 MPa	03	No.

ANNEXURE-D

S #.	Name of Item	Qty	Unit
1	Allen Key Wrench Set with Storage Box: Sizes Included: 1.5mm, 2.0mm, 2.5mm, 3.0mm, 4.0mm, 5.0mm, 6.0mm, 8.0mm, 10. 0mm. Material: Industrial-grade Heat-Treated Chrome Vanadium (CR-V) Steel; Ball-end design on the long arm for up to a 25-degree entry angle; Matte finish for rust prevention; Includes a heavy-duty storage case/box	3	Sets
2	Micrometer Screw Gauge (Standard): Type: External Mechanical Micrometer. Range: 0 – 25 mm. Least Count: 0.01 mm. Features: Carbide-tipped measuring faces, ratchet stop, lock nut, enamel-finished frame.	5	Pcs
3	High-Precision Weighing Scale: Capacity: Up to 15 kg. Resolution: Dual-range precision down to 0.5g/1g. Features: Stainless steel platform, clear LED backlit display, TARE function, built-in rechargeable battery backup.	1	Unit
4	High-Leverage Cable & Wire Shear (10-Inch): Material: Drop-forged high carbon steel; Shear-type curved jaw for clean, deformation-free wire ends. Capacity: Thick copper/aluminum master coils and multi-strand structural wires up to Ø 4.0mm.	2	Nos.
5	Heavy-Duty Diagonal Cutting Pliers: Size: 8-Inch. Material: Induction-hardened Chrome Vanadium (CR-V) steel (HRC 58-62). Capacity: Medium-hard wire up to Ø 2.5mm.	5	PCs
6	Copper Wire Spool (Bare): For Young's Modulus apparatus. Material: Copper. Wire diameter: 1–2 mm maximum (not greater than 2 mm).	1	Roll
7	Stainless Steel Wire Spool: For Young's Modulus apparatus. Material: Stainless steel. Wire diameter: 1–2 mm maximum (not greater than 2 mm).	1	Roll
8	Brass Wire Spool: For Young's Modulus apparatus. Material: Brass. Wire diameter: 1–2 mm maximum (not greater than 2 mm).	1	Roll
9	Aluminum Wire Spool: For Young's Modulus apparatus. Material: Aluminum. Wire diameter: 1–2 mm maximum (not greater than 2 mm).	1	Roll
10	MCVN Charpy Impact Test Samples (Copper): MCVN (Miniature Charpy V-Notch) specimen. Dimensions: 4.83 × 4.83 × 24.13 mm. Pure Electrolytic Copper (99.9%).	10	PCs
11	MCVN Charpy Impact Test Samples (Brass): MCVN (Miniature Charpy V-Notch) specimen. Dimensions: 4.83 × 4.83 × 24.13 mm. C36000 Free-Cutting Brass.	10	PCs
12	MCVN Charpy Impact Test Samples (Carbon Steel): MCVN (Miniature Charpy V-Notch) specimen. Dimensions: 4.83 × 4.83 × 24.13 mm. AISI 1018/1045 or Mild Steel.	10	PCs
13	MCVN Charpy Impact Test Samples (Stainless Steel):	10	PCs

	MCVN (Miniature Charpy V-Notch) specimen. Dimensions: 4.83 × 4.83 × 24.13 mm. Grade 304 or 316.		
14	MCVN Charpy Impact Test Samples (Aluminum): MCVN (Miniature Charpy V-Notch) specimen. Dimensions: 4.83 × 4.83 × 24.13 mm. Alloy Grade 6061-T6.	10	PCs

ANNEXURE-E

S #.	Name of Item	Qty	Unit
1	Ezviz H7c Dual 2K Wi-Fi Camera with 256GB Memory Card	04	Nos.
2	Venetian Blinds or vertical blinds- 7 x 6 feet (white color) sample must be provided with quotation	14	Nos.

ANNEXURE-F

S #.	Name of Item	Qty	Unit
1	Window Blinds: 16.5 x 4 (1 window 3 Blinds) 16.5 x 4 (1 window 3 Blinds) 16.5 x 4 (1 window 2 Blinds) 4 x 6 (1 Aluminum door 1 blind) 16.5 x 4 (1 window 3 Blinds) 4 x 4 & 8 x 8 (2 windows 2 Blinds) 16 x 4 (1 window 3 Blinds) (Sample must be provided with quotation)	17	Nos.